# **PRODUCT DATA**



# **FASSON®** White Manilla

Issued December 2023

## Introduction

A self-adhesive paper sheet product for offset printing.

**Description** 

Face: Premium-quality calandered woodfree paper board, matt white only.

This product, FSC® C011032 certified, is sold as FSC® Mix Credit.

Availability

Availability	Adhesive 🗢	Permanent
Backing <b>U</b>		
No ovo oklinos		v
No cracklines		l X

## **Printing & Conversion**

Offset printing.

Before applying the label, the surface must be clean, dry and grease-free.

## Recommendations for use

Point-of-sale cards, instruction labels, oil change labels, and other stickers where a substantial face material is needed. For indoor use.

## General

Shelf life: 2 years stored at 20°C / 55% R.H.

Total caliper (±10 %): 282 micron

For information regarding EHS regulation, please visit our website under downloads "Technical bulletins" TB 7.8 Product Compliance Fasson Offset" and for technical guidance "Technical bulletins" – Offset printing.



## **PRODUCT CHARACTERISTICS**

# **Physical properties**

#### **Face**

 Basis weight:
 150 g/m²
 ISO 536

 Caliper:
 172 micron
 ISO 534

 Opacity:
 98 %
 ISO 2471

#### **Adhesive**

Permanent: General-purpose water-based permanent adhesive with a high initial tack and

high adhesion on most common substrates.

Adhesion (N/m)

(FTM 2 on steel/20 min. bond time) 360

Tack (N)

(FTM 9 on glass) 10.3 Minimum application temperature +5

Service temperature range

after 24 hrs (°C) +80

Resistance to cold (°C)<sup>1)</sup> down to -20

# **Backing**

No cracklines: A bleached one-side-coated white kraft, especially designed for sheet products,

featuring minimal moisture sensitivity.

Basis weight:86 g/m²ISO 536Caliper:87 micronISO 534

#### Guarantee and liability:

All product statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. Products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes.

All products are sold subject to Torraspapel – Lecta's general terms and conditions of sale, see https://www.lecta.com/terms
Fasson® and Crack-Back® are registered trademarks of Avery Dennison Corporation and related entities, and the products are produced by Torraspapel - Lecta under license from Avery Dennison Corporation and related entities for EMENA only.



<sup>1)</sup> Not fully resistant until after adhesion reaches full strength – after at least 24 hrs.